

GLOUCESTER COUNTY DEPARTMENT OF HEALTH

204 E. Holly Avenue
Sewell, New Jersey 08080
(856) 218-4170

Public Non-Community Application to Modify/Install Treatment or Modify Distribution

- 1. *Applicant/Owner: _____
 Permanent Legal Address: _____
 City/Town _____ State _____ Zip Code _____
 Telephone (____) _____ Fax Number (____) _____
 Name of Public Water System _____
 PWSID # _____ Public Water System E-mail address _____

- 2. This Application is for the approval of the following (check one or more as applicable):

Treatment Plant	Distribution Modification
<input type="checkbox"/> New Treatment Plant	<input type="checkbox"/> Water Main/service line extension
<input type="checkbox"/> Modify existing Treatment Plant	<input type="checkbox"/> Distribution Storage, Storage Tank
<input type="checkbox"/> Ground Water Rule 4 Log Certification	<input type="checkbox"/> Pump Station, Booster Pump

Brief description of the above:

- 3. Location of Work Site _____
 Name of Facility, if applicable _____
 Address (Street/Road) _____ Zip Code: _____
 Lot No. _____ Block No. _____
 Municipality _____ County _____

- 4. The person responsible for the preparation of plans, specifications and report.
 Name _____
 Name of Firm, if employee _____
 Address (street/road) _____
 City/Town _____ State _____ Zip Code _____
 Telephone (____) _____ Ext _____ Fax Number (____) _____
 E-mail address _____ Firm Web Site _____

5. *APPLICANT'S CERTIFICATION

I certify under penalty of law that the information provided in this document is true, accurate and complete. I am aware that there are significant civil and criminal penalties for submitting false, inaccurate or incomplete information.

Type: Name

*Signature of Applicant/Owner's Authorized Representative

Type: Position

Date of Application

Instructions: All Items (1 through 5) of the Standard Application shall be completed on this form. All specific applications required by administrative authority must also be submitted. Completed applications and all supporting documentations must be submitted to: